
AIR PURIFIER

User Manual


KJ100G-C12



Please read this manual carefully before using product and strictly following the guidelines. Please keep it appropriately for future reference.

Product introduction

This air purifier can effectively remove pollutants of indoor air, which is applicable to the places with particles and heavy concentrations of odors, such as homes, schools, offices and other residential areas. It's beneficial to your health and reducing the incidence of respiratory conditions.



Feature introduction


- Small volume and greater airflow rate: 150CU per hour
- Nearly silent: Even lower than ambient noise (< 26dB(A))
- Fashion design: Elegant & cozy, creating favorable environment for your bedroom and office
- More effective and cleaner: HEPA filter mates with excellent airflow, make your room far away from dust, odor and allergens
- \bullet More energy-saving and safer: Supply brushless DC motor, low voltage DC power, lowest power <3 W

Components






Components



- ② Ring
- ③ Fuselage shell
- 4 Air inlet
- ⑤ DC socket
- 6 Bottom plate
- 7 Filter
- ® Base

Packing list



Specification

Product name	Air Purifier	Model	KJ100G-C12
Rated voltage/frequency	100-240V~ 50/60Hz	Product size	21*21*33.5cm
Power	24W	Net weight	1.8kg
Noise	≤58dB(A)	Applicable area	30 m²
CADR(PM2.5)	100m³/h	Fuselage materials	ABS,PP

Getting Started

- 1. Invert the equipment after unpacking it.
- 2. Rotate the base cover to take out the filter by the guide arrow.
- 3. Replace the filter after opening the package. Take care to rotate the base cover in revert direction described on step 2.
- 4. Pick out the power adapter and then access to the corresponding port.
- 5. Insert the plug of power adapter into the upright purifier.



1. Take out the transparent packaging bag and properly put it;



2. Turn the bottom cover counterclockwise and remove the filter;



3. Open the packaging bag of the filter and put it back into the filter according to the direction;



4. Install the bottom cover clockwise;




5. Place the product on a flat surface, insert the adapter and connect the power supply.



Remove plastic wrappers from products and store them out of reach of Notice infants or children or throw them away. If you turn over, you risk choking.

Control Panel



The indicator Lamp will light up, the Ring Lamp will light up in corresponding colors on the basis of air quality.

Color of Ring Lamp	Blue	Orange	Red
Air quality >	Good	Moderate	Bad

MODE	MENU	FUNCTIONAL DESCRIPTION		
ON/OFF	பு	•After the power is connected, click the power button to turn the machine motor; •The machine is started in the auto mode. The sensor is preheated. •After 30 seconds of operation, the air quality indicator will display according to the current air quality and automatically select the corresponding gear to run. The three-digit digital tube displays data in PM2.5 by default.		
AUTO MODE	A	•In the state of manual wind speed adjustment, tap the auto button, and the wind speed control will be automatically controlled according to the data returned by the sensor. •Max speed in auto mode will be level 3.		
MANUAL CONTROL	4	•In auto mode, click the speed button, and the machine runs according to the user's specified wind speed. •Max speed in manual mode will be turbo.		
UV LIGHT/ FILTER RESET	ر چ ا	•At any wind speed, light touch the UV button to turn on the UV function, and press the UV button again to turn off the function. •After using the machine for 1800h, the filter prompt light will be lit and displayed in the form of breathing light. •Filter reset: press the UV button for 3 seconds (there is a sound), the filter indicator is off, and the timing starts again.		
TIMER	<u>(</u>	•Touch the timer button on the operation panel, and the 3-bit digital tube will automatically turn into the time interface, and the timing stops will be 1-8 hours respectively. After setting, the timing interface will display 5S clock, and then the panel will automatically return to the PM2.5 display state. •Timer cancel: if the timing light is on for a long time with timing setting, press the timing button for 3S for a long time to cancel the current timing, and the timing function indicator will be off after the cancellation. •The timing is completed according to the set running time. The timing function is closed and the machine automatically shuts down.		

Maintenance

Before attempting to perform any maintenance on the purifier, disconnect the power adapter!

- Filter
- 1. Reference time of changing filter: about once a year
- oIt depends on different places and usages. For example, changing time of filter may shorter in contaminated zones or smoking areas, etc.
- ♦ Please change the filter if the cleaning effect is not good.
- 2. Cleanup routines: biweekly
- ♦ Use soft brush, dry cotton cloth or cleaner to clean the surface of filter.
- ⋄Do not use water to wash the filter.
- ⋄Do not press firmly or pull, because the filter can be broken or deformed easily. Please change a new one before using if it's damaged.
- ◆External surface
- ⋄Please use dryness soft fabric to wipe the surface, inlets and outlets.
- ⋄Do not use the chemical cleaning agent.
- ◆Long-term idle
- ⋄Cut off the power
- ⋄Clean the surface and filter
- Store at a dry and cool place and cover with plastic bag

Frequently Asked Questions

Phenomenon	Reason & Solution		
Smell	oThe filter is too dirty because of not replacing for a long time— replace the filter ○ Use the purifier in moist conditions or make water infiltrate the filter— replace the filter ○Add some unsuitable spice into the spice box— replace the spice box ○Reuse the filter after a long time without cleaning— replace the filter if the problem cannot be solved after cleaning ○Detect the odor of burning— stop running the purifier immediately and cut off the power; contact manufacture to repair it		
No wind	oThe first gear is regarded as sleep-mode so that only a breeze of wind can be felt o The machine out of operation — check the power supply system; replace the power adapter or contact manufac- tures to service		
Ineffectiveness	oThe filter no longer has any effect—replace the filter oUse at inappropriate places, such as oversize places		
Three gear indicator light up at the same time oMachine malfunctions—cut off the power immediately and contact manufactures to service			

Safety precautions



Please read the instructions carefully before using and strictly follow them when used.

Do not use a power adapter that is not compatible with the product.

Avoid causing fire, shock and injury.


This product is limited to indoor use.

The product cannot be operated in a special outdoor environment.



Single use rated current above 7A socket.

Just like other electrical appliances, may cause the socket to become unusually hot or catch fire.





Do not connect power plug with wet hand.

Avoid causing fire, shock and injury.





The damaged power cord and plug or the part of socket is loose, do not use.

Avoid causing fire, shock and injury.



Do not touch the product while the product is working.





If there is any dust on the plug, please wipe it in time.

Avoid causing fire, shock and injury.



Do not obstruct the intake and outlet of sundries.

Avoid damaging products



Do not get the product wet.

Avoid causing fire, shock and injury.





Do not allow children to use them independently or in places where infants can reach them.

Avoid injury







It is forbidden to refit, except repair technicians.

Avoid causing fire, shock and injury.



It is forbidden to put needles, wire, other metal objects and foreign objects into the gap of this product.

Avoid injury due to short circuit and other abnormalities.



Such ICONS indicate that they cannot be done and "forbidden" content.



Such ICONS indicates that the content must be executed, "mandatory".

Safety precautions



Please read the instructions carefully before use and strictly follow them when used.

It is forbidden to use in unstable places. Avoid dumping and cause accidents.





Access to fire and explosives are strictly prohibited.

Avoid leakage and safety accidents.





It is forbidden to start up when no filter is on, and a large amount of dust may cause equipment malfunction.



Please disconnect the power before replacing the filter.



Do not use in water or near fireworks. Avoid causing fire, shock and injury.






It is forbidden to replace the filter with the specified specification.

Avoid affecting product working life.



Pull the plug from the power outlet when not in use.


Avoid electric shock, leakage and fire due to damage.





When pulling power plug, please be sure to hold the plug part, do not pull the power cord.

Avoid electric shock or fire due to short circuit.





Please do not use a separate socket. Avoid causing fire, shock and injury.





The power cord should be discontinued when damaged.

Avoid causing fire, shock and injury.





^{*} Packaging Contents: Main enginex1, Power Cordx1, Manualx1